

RUTX10

NEXT GENERATION ENTERPRISE ROUTER

This device is equipped with Dual-Band AC WiFi, Quad-core CPU, 256 MB of RAM and 4 x Gigabit Ethernet ports. Powerful hardware combined with all advanced RutOS software and security features make this device a great performer as a fast, secure and reliable Enterprise router.



ADVANCED

loT ready with Bluetooth LE

High processing power

Convenient router access via Remote

Management System

ROBUST

Durable aluminium housing
Wide voltage range (9-50 V)
External temperature range (-40 +75 °C)


SECURE


Multiple VPN options

Advanced firewall functionality

Advanced WiFi encryption







Hardware

CPU	Quad Core ARM Cortex A7 717 MHz CPU
Memory	256 MB SPI Flash, 256 MB of DDR3 RAM
Ethernet	3 x LAN ports 10/100/1000 Mbps, 1 x WAN port (can be configured to LAN) 10/100/1000 Mbps
WiFi	802.11ac (WiFi 5) with data transmission rates up to 867 Mbps (Dual Band, MU-MIMO)
Power supply	9 - 50 VDC, 4 pin DC connector
Connectors	1 x 4 pin DC, 4 x Ethernet, 2 x WiFi RP-SMA, 1 x RP-SMA for Bluetooth
Status LEDs	1 x Power, 2 x WiFi band, 8 x Ethernet status
Operating temperature	-40 °C to 75 °C
Housing	Full aluminium with grounding screw
Dimensions	115 mm x 95 mm x 32 mm

Software

Network protocols	TCP, UDP, IPv4, IPv6, ICMP, NTP, DHCP, DNS, HTTP, HTTPS, SMTP, SSL v3, TLS, ARP, PPPoE, UPNP, SSH, Telne	
Networking features	NAT, Static/Dynamic routing, Firewall, H.232 and SIP-alg protocol NAT helpers, allowing proper routing of VoIP packets	
Unique networking features	VLAN, WEB Filter, Load Balancing, Network Backup	
Connection monitoring	Ping Reboot, Periodic Reboot, Wget Reboot, LCP and ICMP for link inspection	
Authetication	Pre-shared key, digital certificates, X.509 certificates	
Keep settings	Update FW without losing current configuration	
Monitoring & Management	WEB UI, SSH, SNMP, JSON-RPC, FOTA, RMS	
Supported languages	Busybox shell, Lua, C, C++	